trade

More Specials at

www.itradesupplies.com.au





20PC 1/2" DR Impact Socket Set

11321 MET • Std: 10 - 22mm • Deep: 10 - 24mm **11320 AF •** Std: 3/8 - 15/16" • Deep: 7/16 - 1"

14PC Combination Spanner Set, Met

• 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 & 21mm

• Ultimate Torque - 600 Ft Lb • 7,000 RPM

• 88 dBA • Length - 204mm • 2.2kg **SM030**

1/2" DR Impact Wrench

20LT OIL DRUM PUMP

C7-01

- Suitable for 20/25L drums using sliding bung adaptor
- Up to 100mls per stroke with downstroke
- Suitable for non-corrosive liquidsup SAE140 viscosity
- 1.8m delivery hose & non-drip nozzle



180KG HI FLO **GREASE PUMP**

R5000GPLF-01

- pressures up to 68,900 kPa (10,000psi) when used with B2 booster gun.
- 58:1 ratio grease pump complete with R5000G pump unit; R5000GLF lid & follower plate; B2 booster gun with KY coupler; PF8 2.5m grease hose



3:1 RATIO OIL PUMP UNIT

R300THG-01

- 3:1 ratio air-operated drum oil pump
- 3mt x 3/4"i.d. oil delivery hose
- HG20R-01 oil control gun



20KG GREASE PUMP WITH TROLLEY

P3-OS2

Complete with 55kg / 60lt trolley with handle & castors; P6001 bare grease pump; 20kg follower plate; B2 booster gun with KY coupler; ZSB high pressure swivel; 4.0m grease hose; airline pressure



1,221

METAL AIR/WATER REEL

MAS1220-01

- Air / Water reel 20m x 12.5mm
- Operating pressure up to 2100 Kpa (300 psi)
- ½" BSP (F) reel inlet and ½" BSP (M) hose outlet
- Wall/Floor mounting bracket integral to reel design



205LT/180KG **TROLLEY**

TR205-01

Heavy-duty drum trolley designed to suit drums up to 205L or 180kg



^{\$}606















PEEHLESS \$

P17 Electric Belt

Drive Compressor

No. Cylinder: 2, Slow Revving, Cast Iron Pump

Motor (HP): 3.2

Free Air Delivery @100PSI: 320LPM

COMPACT

Air Reciever (litres): 55 Pump RPM: 963

Warranty: 5 Year (Pump) 1 Year (Motor)

30m Air Hos





P14 Electric Belt **Drive Compressor**

No. Cylinder: 2, Slow Revving, Cast Iron Pump

Motor (HP): 2.75

Free Air Delivery @100PSI: 275LPM

Air Reciever (litres): 55

Pump RPM: 852

Warranty: 5 Year (Pump) 1 Year (Motor)

00257

Peerless **Post Driver**

■ Only requires 85LPM to 142LPM of free air at a maximum of 80PSI

■ Only weighs 14.2kg

■ Will thump post in at 70-75 strokes a minute

00451



P17 Petrol

No. Cylinder: 2, Slow Revving, Cast Iron Pump

Motor (HP): 6HP Honda

Free Air Delivery @100PSI: 350LPM Air Reciever (litres): 55

Pump RPM: 1061

Warranty: 5 Year (Pump)

3 Year (Honda Warranty)

00128

Compact 2000 Electric **Direct Drive Compressor**

No. Cylinder: 1 Motor (HP): 2

Free Air Delivery @100PSI: 138LPM

Air Reciever (litres): 20 Pump RPM: 2850 Warranty: 1Year

00342



Compact 2500 Electric **Direct Drive Compressor**

No. Cylinder: 1


Motor (HP): 2.5

Free Air Delivery @100PSI: 154LPM

Air Reciever (litres): 30 Pump RPM: 2850

Warranty: 1 Year

20Mtr Retractable Air Hose Reel



- Self Leveling to Prevent Jamming
- UV Stabilized
- 180° Mounting Bracket
- 1.5mtr Connection Hose 00147











Email: sales@tradequip.com.au • Web: www.tradequip.com.au • ABN 79 096 932 464

#9093 INDUSTRIAL RACK WITH INTERLOCKING WIRE DECKS

- · Welded end frames provide strength and . stabilitv
- Protected powercoated steel
- · 4 adjustable shelves with wire decks
- Bolt free design and single tools assembly
- · Connect additional racks to create industrial-sized or commercial storage solution
- 1953mm (wide) x 610mm (deep) x 1829mm (high)
- · Each shelf holds 907kg
- Nett Weight 82kg



#2037 HYDRAULIC PRESS-50,000KG

• 100mm Pressure Gauge · Working Range: 0 - 1035mm

• Winch on Table Rise and Fall

• Ram Lift : 180mm

· 2 Stage Pump

• Nett Weight: 450kg

· Width: 650mm





#6006 SCISSOR LIFT - 500KG

• Capacity: 500kg • Table Size: 820 x 500mm

· Low Height: 270mm · Lift Height: 900mm Foot Operated Hydraulic Action

· Quick Release Lever

#1025 INDUSTRIAL VENTILATION FAN - 300mm

· 240V/50Hz 520 Watt Motor

· 300mm Alloy Multi Blade Fan (3400rpm)

• Dimensions: 405(H) x 320(W) x 358(L)mm

• Static Pressure: 490Pa • Air Delivery: 70m3/min

· Nett Weight: 14kg

 Replacement 5M Flexi Tube: 1025/1



• Complete with 5M of Flexible Tube (Flame Resistant)

#7126 WELDING HELMET- AUTO DARKENING

• Power Supply: Solar Cell & Lithium Battery

• Dark Light: 0.2-1.0s adjustable (stepless)

· Sensitivity Control: Adjustable (stepless)

• View Area: 92 x 42mm

· Arc Sensor: 2

· Light State: DIN4

• Dark State: Variable Shade 9-13

• UV/IR Protection: DIN16

• Switching Time: 1/25,000s

· Grinding: Yes

• Op. Temp: -10° -+ 55°C

• Soring Temp: - 20° - + 70° C

· Application Range: MIG, MAG/CO2, SMAVW: TIG: PLASMA, ARC Weld/Cut

· Total Weight: 490g





· Rotated Axis Taper: Weldon shank 3/4"

· Accepts No. MT 2 Twist Drills, Chucks, Arbour, Tapping Chucks etc

· No-load Speed: 100-500rpm

• Integrated Coolant System

• 12000N Magnetic Adhesion

· 45mm Diameter Capacity

• 50mm Depth of Cut

· 1200W/230V Motor

180mm Stroke

· Nett Weight: 23kg



ALL PRICES INCLUDE GST

















We've got all your Grinding, Cutting, Stripping & Tapes needs covered!



















PART NO.	DESCRIPTION	PRICE EACH (incl. GST)
Iron Free (Cut Off Wheels for Stainless Steel	
1810216	100 x 2.5 x 16 Iron Free Stainless Steel Cut Off Wheels	\$1.50 ea
1811522	115 x 2.5 x 22 Iron Free Stainless Steel Cut Off Wheels	\$1.75 ea
1812722	125 x 2.5 x 22 Iron Free Stainless Steel Cut Off Wheels	\$2.05 ea
1823022	230 x 2.5 x 22 Iron Free Stainless Steel Cut Off Wheels	\$3.05 ea

Iron Free Grinding Wheels for Stainless Steel			
6710260	100 x 6.0 x 16 Iron Free Stainless Steel Grinding Wheels	\$1.50 ea	
6711560	115 x 6.0 x 22 Iron Free Stainless Steel Grinding Wheels	\$1.90 ea	
6812768	125 x 6.8 x 22 Iron Free Stainless Steel Grinding Wheels	\$2.20 ea	
6823068	230 x 6.8 x 22 Iron Free Stainless Steel Grinding Wheels	\$4.55 ea	

Bear-Tex Depressed Centre Rapid Strip Discs			
30651	100 x 16mm Bear-Tex Rapid Strip Discs	\$17.00 ea	
09649	115 x 22mm Bear-Tex Rapid Strip Discs	\$21.00 ea	
30655	125 x 22mm Bear-Tex Rapid Strip Discs	\$23.00 ea	
09586	180 x 22mm Bear-Tex Rapid Strip Discs	\$45.00 ea	

Duct Tape			
AT099589	48mm x 30m Silver Duct Tape	\$4.85 ea	
AT225320	48mm x 30m Black Duct Tape	\$4.85 ea	
AT099589	48mm x 30m Silver Duct Tape - Carton Price. (Qty 36)	\$3.95 ea	
AT225320	48mm x 30m Black Duct Tape - Carton Price (Qty 36)	\$3.95 ea	

Paint Respirator Kit		
AS364219	Respirator Kit With Storage Bag	\$50.00 ea

Saint-Gobain Abrasives Pty Ltd 15 Edgars Road, Thomastown, Victoria Australia 3074 Toll Free: 1300 007 650 Fax: 03 9930 7832



Pricing applies to carton quantities











Industrial Design Safety Lock Switch • Disc Diameter: 125mm

· Idling Rotational Speed: 7500/min • Rated Voltage: 230V

• Frequency: 50Hz

• Input Power: 1240W

· Nett Weight: 3.1kgs

7124 KEN 14" CUT OFF SAW

#7125 KEN 5" ANGLE GRINDER

- Disc Diameter: Ø355mm
- · Frequency: 50Hz • Input Power: 2300W
- · No Load Speed: 3800r/min
- · Nett Weight: 17.5 kg
- · D-shape handle for easy gripping.
- · Park Diversion Guard for Operational Safety



ALL PRICES INCLUDE GST

and staff

· Max torque: 1938 N-m, 1600ft-ib • Air pressure: 90 - 115 psi or 6.3 - 8kg/cm2 · Average air consumption (25%) 14.7 · Clutch type: Rocking clutch · Weight: 14kg or 30.9 lbs · Length: 570m/m or 22.4 in • Free speed: RPM 3700 Noise dB: 99.2

Vibration: 7.71 m/s²

• Noise dB: 91 (w/o silencer)

 Most powerful: 1500 N-m, 1100ft-Lb • Average Air Consumption (25%) 9.0

8" ANVIL - 1" DRIVE

• Air inlet: 3/8" • Free Speed: RPM 8800

3047 AIR IMPACT GUN COMF

• Length: 184m/m or 7.2 in

· Weight: 2.5kg or 5.5 lbs · Air Pressure: 90 psi or 6.3kg/cm²



IMEX Laser Range Finder **Sport 1000**

· Air inlet: 3/8"

- 1000m range
- 7 x magnification
- Accuracy to 1m



\$449.00

- 100mm digital
- Magnetic base





002-DWL80G

Digi Pas DWL130

- Clip on any level or straight edge
- Measure in % or ⁰



\$95 002-DWL130

IMEX LAR28 Auto Level Set

- 28 magnification
- All metal housing
- Aluminium tripod
- 5m staff



\$429

IMEX LX25P 5 Dot, 2 Line Laser

- 5 dots, 2 lines. Most versatile interior laser
- Magnetic bracket
- New Laser-EDGE™ high definition dots and lines
- Set-out laser,



\$385

IMEX 77R Rotating Laser Includes tripod Self levelling

- 500m range
- Single grade slope to 8.8%
- Large dual face receiver
- 2 battery packs alkaline and rechargeable
- IP66 waterproof, shockproof
- Includes tripod and staff



\$1199

012-I077RS

IMEX Digital Angle Gauge

- 350mm
- Large LCD display
- Made in Germany
- Larger lengths available

002-498035

\$289

www.measuringequipment.com.au

COMPLETE **MEASURING SOLUTIONS**







Ratchet Wrench Set

Part No. 301893

- · Professional quality chrome vanadium
- Fine 72 teeth (5°) ratchet mechanism
- Combination (Ring-Open end)
- 12 piece metric
- Size range: 8-19mm

TRIDON > **Cable Tie Assorted Packs**

Part No. CTP07

· Assorted colours in popular sizes

Contents

Width	Length	Qty
3mm	100mm	300
3mm	150mm	200

Part No. CTP08

Width	Length	Qty
3mm	100mm	300
3mm	200mm	200



Make the Switch.....



Chemtools ZERO-SPAT® SPR is an aerosol Weld Anti-Spatter spray which provides instant shielding

Size	Part Number	Price
500 grams	CT-ASPR-500	\$6.45
_	All p	rices include G



Chemtools Cold-Gal, is a high zinc mat finish.cold galvansing spray, for prevention of rust &

Chemtools Silver Gal is a rich metallic spray and has a similar silver sheen colour to galvanized

80.00
90.40
\$7.60



Nozzle Dipping Gel

Chemtools Nozzle dipping gel is specially formulated to prevent weld spatter from adhering to the nozzle, contact tip, diffuser and weld area.

Size	Part Number	Price
400 grams	CT-NDG400G	\$7.35
		All prices include



Blu-Coat Anti-Spatter

Chemtools ZERO-SPAT® BLU-Coat is a water based weld anti-spatter liquid which prevents spatter build up on the work surface.

Size	Part Number	Price
5 Litres	CT-ASBLU-5L	\$24.75
20 Litres	CT-ASBLU-20L	\$74.25
		All prices include GST

Any Job - Any Challenge

Ink Marker iFine

- Acrylic Tip
- Quick drying
- Waterproof marks Medium point
- · Bullet tip

12151001



\$ 7.50 box of 10

Ink Marker i70

- Acrylic Tip Quick drying
- Waterproof marks Medium Point
- Bullet tip
- Longer cap off time

12131201



Ink Marker i90

- Acrylic Tip
- Quick drying Waterproof marks
- Chisel tip
- Longer cap off time

12141201 12141202 12141203



All pricing includes GST.



Ink Marker iFlip (Assorted)

- Bullet tip and Chisel tip
- Acrylic Tip
- Quick drying
- Waterproof marks Medium point
- Longer cap off time

Mix Colours 12170400

\$ 5.70 box of 4

Ink Marker iFlip

- Bullet tip and Chisel tip
- Acrylic Tip
- Waterproof marks
- Medium point

· Longer cap off time Red 12161202

\$ 15.00 box of 12

Long Arm Handle

- Give you that extra reach when you need it
- Assist in preventing back strain
- Improves efficiency and makes application less fatiguing
- Lightweight aluminium construction
- Suitable for use with Spray & Mark and Landscape Chalk

Long Arm Handle 40080105

\$ 32.91 each



Spray & Mark

- · Paint thinner and cleaning solvent
- · Premium marking out paint
- · Toluene free formula
- Designed for inverted use
- Bright colour range for highly visible marks
- Applications include construction, landscaping, civil works and surveying Spray & Mark Holster also available to
- provide easy access to your marking paint
- Unique spray pattern specifically designed to make Spray & Mark ideal for spot marking as well as 'writing' applications
- Suitable for use with Dy-Mark's Long Arm Handle and Spot Marking Handle

Harrand	and spot marking	grianaic	
Black	40013501	Grey	40013513
Red	40013502	Fluoro Red	40013522
Blue	40013503	Fluoro Blue	40013523
Green	40013504	Fluoro Green	40013524
Yellow	40013505	Fluoro Yellow	40013525
Orange	40013506	Fluoro Orange	40013526
White	40013511	Fluoro Pink	40013529

\$ 3.89 each











SA400 **Air Hose Reel**

- Can be mounted on the floor, wall or ceiling
- · Impact resistant UV stabilised covers for maximum durability
- 15m x 12mm ID hose





SW500

Water Hose Reel

- · Adjustable spring tension
- High flow swivel and fluid path facilitates maximum delivery
- 18m x 12mm ID hose, 1.2m lead in hose

\$195·00



680AN

180 g/min

450g Air Operated Grease Gun

- · Suits 450g cartridge or bulk grease
- Develops grease pressures of up to 3,920psi Delivers up to





180kg Grease Kit

- 55:1 ratio grease pump
- develops up to 7,950psi
 Integral filter eliminates the chance of pump tube contamination
- Drum not included

\$1.398⁰⁰



Farm Tank Hose

- 1" ID fuel delivery hose
- · Maximum working pressure of 145psi
- Temperature range of -50°C to +60°C





- Flow rates of up to 100 L/min10 micron inlet filter prevents
- pump housing contamination
- Ideal for the fast and efficient transfer of diesel fuel, petrol and kerosene

25000



- **Oil Drum Pump**
- gear boxes, transmissions and differentials
- Semi automatic operation delivers 330mL per stroke
- 9978 60L Gear Oil Drum Pump also available \$150.00

454695C **IBC Oil Storage and**



- and fully transportable 3:1 ratio pump facilitates
- flow rates of up to 18 L/min Dual pedestal

Transfer Kit

hose reel provides a long service life





HEAVY DUTY PLASTIC CASES WITH DICED FOAM INSERTS

PART NUMBER: HDCASE450Y

WEIGHT: 4.2 kg

DIMENSIONS: 450mm x 350mm x 180mm (OD) 390mm x 290mm x 170mm (ID)



830W x 480D x 320Hmm (ID)

PART NO: HDCASE1200

CAPACITY: 264L COLOUR: Blue LLDPE DIMENSIONS:

1200W x 550D x 400Hmm (OD) 1130W x 480D x 320Hmm (ID)



STEEL TRUCK BOXES

- Heavy duty drawers T-Lock & 4 x heavy duty handles
- Front locking rod to secure drawers Powder coated in ripple white
- Fitted with sealed bearing slides rated to 100kg

PART NO: BKAT700 Weight 68kg

DIMENSIONS:

700W x 600D x 750Hmm

PART NO: BKAT1210 Weight: 108kg

DIMENSIONS: 1210W x 600D x 750Hmm



PART NO: AL1210

DIMENSIONS: 1210W x 500D x 680Hmm

PRODUCT DETAILS:

- Manufactured from 2.0mm, 3003 grade, aluminium checkerplate
- Hinged angled lid, fully welded and fitted with flush fitting T-Locks keyed
- . Full rubber seals & gas struts
- Concealed stainless steel piano hinge
- Fits all one tonners, utes and light
- Ideal for every trades person: builders, plumbers, electricians, farmers etc.
- Supplied with full length shelf: to be



PART NO: ESWT12

DIMENSIONS

Overall: 1040W x 460D x 1025Hmm 1 Drawer: 940W x 400D x 150Hmm 5 Drawers: 570W x 400D x 75Hmm

1 Drawer: 570W x 400D x 150H mm

4 Drawers 305W x 400D x 75Hmm 1 Drawer: 305W x 400D x 225Hmm PRODUCT DETAILS:

- Powder coated red gloss
- Drawer liner in each drawer
- Ball Bearing Slides Heavy Duty Castors with brakes
- Rubber mat on top of trolley Heavy Duty Side Handle

www.1-11.com.au







UNI-MIG WELDING

PROCRAFT 240

The "PRO-CRAFT SERIES" is a light industrial MIG welders designed to deliver great results at an affordable price. It is ideally suited to light fabrication, automotive and rural applications. Packed with features such as a multi-function control board, fan cooling and an industrial strength wire feed system. The 240 has the added features of dual earth inductance and a gear driven wire feed system.





\$875.00

170DC MMA/TIG INVERTER

- Hot Start
- Anti Stick
- Arc Force
- MMA (Stick electrode) (DC+ / DC-)
- DC TIG Welding
- TIG Lift ARC ignition
- Thermal overload protection
- Generator compatible
- Tolerent to variable supply power
- 35/50 Lead connectors













WELDER FEATURES

- Latest IGBT Inverter Technology
- Multifunction Inverter:
- MIG
- DC TIG (WITH LIFT ARC IGNITION)
- MMA
- Spool Gun Ready
- Digital Voltage & Amperage Meters
- Geared Wire Drive
- Voltage Reduction Device (VRD)
- Fully Compliant to AS 60974-1













\$1450.00

MIG/MMA/TIG 190

WELDER FEATURES

- Latest IGBT Inverter Technology
- Multifunction Inverter:
- DC TIG (WITH LIFT ARC IGNITION)
- MMA
- Spool Gun Ready
- Digital Voltage & Amperage Meters
- Geared Wire Drive
- Voltage Reduction Device (VRD)
- Fully Compliant to AS 60974-1













\$1075.00

AUTO DARKENING WELDING HELMET

- Viewing area 96 x 42 mm
- Helmet 9-13 variable
- Reaction time 1-10000 sec
- 2 Years warranty



• Adjustable Reopening delay 0.1-0.9 sec

• Grind Mode



WIDE VIEW RAZORBACK **WELDING HELMET**

- View size 100x60mm • Shade number 4/9-13
- Switching time 0.1ms (CE) / 0.05ms(ANSI) • Delay time from dark to light
 - 0.1-0.9s adjustable • Grinding function 1-13 adjustable Certifications passed CE,ANSI,CSA
 - Warranty 2 years

UMRBWH

ALL PRICING INCLUDES GST













StrongHand Tools

STANDARD MAGNET SQUARE ANGLES 30°, 60°, 45°, 90° PULL FORCE 40kg

MAXIGEAR MGR6080 12pc METRIC REVERSIBLE 8-19mm


PLUS

BONUS SET MAXIGEAR MGD4500 SCREWDRIVER 2 POSITION HANDLE RATCHETING c/w 6 BITS FIXED, FORWARD & REVERSE



MS346C

MAGTAB MAGNETS MFT10



\$22.00

THE BETTER FASTER WAY TO HOLD TABS IN PLACE ADJUSTABLE MAGNETIC 'V' CLAMP, SUITS FLAT, ROUND, SQAURE 90° ANGLE & OVAL



Part No	Description	Price
	Wrench Ratcheting Combination	
MGR6006	Reversible MAXIGEAR 6mm	\$ 18.70
	Wrench Ratcheting Combination	
MGR6007	Reversible MAXIGEAR 7mm	\$ 18.70
	Wrench Ratcheting Combination	
MGR6008	Reversible MAXIGEAR 8mm	\$ 18.70
	Wrench Ratcheting Combination	
MGR6009	Reversible MAXIGEAR 9mm	\$ 19.90
	Wrench Ratcheting Combination	
MGR6010	Reversible MAXIGEAR 10mm	\$ 19.90
	Wrench Ratcheting Combination	V 10.00
MGR6011	Reversible MAXIGEAR 11mm	\$ 22.00
	Wrench Ratcheting Combination	¥ ==:00
MGR6012	Reversible MAXIGEAR 12mm	\$ 23.10
	Wrench Ratcheting Combination	V _0
MGR6013	Reversible MAXIGEAR 13mm	\$ 25.20
	Wrench Ratcheting Combination	V 20.20
MGR6014	Reversible MAXIGEAR 14mm	\$ 27.30
	Wrench Ratcheting Combination	
MGR6015	Reversible MAXIGEAR 15mm	\$ 27.30
	Wrench Ratcheting Combination	
MGR6016	Reversible MAXIGEAR 16mm	\$ 27.30
	Wrench Ratcheting Combination	
MGR6017	Reversible MAXIGEAR 17mm	\$ 31.50
	Wrench Ratcheting Combination	
MGR6018	Reversible MAXIGEAR 18mm	\$ 33.55
	Wrench Ratcheting Combination	
MGR6019	Reversible MAXIGEAR 19mm	\$ 33.55
	Wrench Ratcheting Combination	
MGR6020	Reversible MAXIGEAR 20mm	\$ 43.90
	Wrench Ratcheting Combination	
MGR6021	Reversible MAXIGEAR 21mm	\$ 44.00
	Wrench Ratcheting Combination	
MGR6022	Reversible MAXIGEAR 22mm	\$ 49.95
	Wrench Ratcheting Combination	
MGR6024	Reversible MAXIGEAR 24mm	\$ 49.95



MAXIGEAR RATCHETING WRENCHES COMPACT, FLUSH REVERIBLE SWITCH 15° OFF SET RATCHETING HEAD FOR KNUCKLE CLEARNCE

SEE THE FULL RANGE ON www.pretooling.com.au





ONUS #SC0322

30PC SCREWDRIVER SET

1/4" Dr, 1/2" Dr 46pc Metric Socket Set

Sockets: 1/4" Dr 4mm to 13mm 1/2" Dr 10mm to 36mm

Drive Accessories: 1/4" Dr, 1/2" Dr Gear to Gear Ratchets (60T), Universal Joints, Extensions, Spark Plug Sockets, Sliding T Bar, Power Bar

KBT1176

3/4" Dr 27pc Combination Socket Set

Sockets: 22mm to 50mm, 7/8" to 2"

Drive Accessories: Ratchet, Extensions, Power Bar, Sliding T Bar Packaged in a metal storage case

KBT1175



1/4" Dr, 3/8" Dr 88pc Metric Tool Set

Sockets: 1/4" Dr 4 to 13mm, 3/8" Dr 6 to 22mm **Drive Accessories:** 3/8" Dr Gear to Gear Ratchet, Spark Plug Sockets, Extensions,

Universal Joint, Adapter

Additional Hand Tools: Soft Grip Screwdrivers, Ring and Open End Spanners, Bit Driver & Assorted Bits, Linesman, Long Nose, Diagonal, Groove Joint & Locking Plier, Adjustable Wrench,















MODEL: SP-1145A

1/2" Dr Impact

Wrench

Cast Iron V-Twin Portable Air Compressor - 3hp

- 150psi • Filter/Regulator • 50lt tank
- Fad 251L/min





1/4" Dr Die Grinder

· Rib textured handle



MODEL: TPW3600 6.5hp Pressure Cleaner

6.5hp OHV Torini engine

3550rpm 10m hose

Stainless steel lance

3200psi working pressure 9.5L/min water flow



MODEL: XRS50 10hp 270lt Tank

· Belt drive 150psi

Disp 1488L/min
 FAD 1085L/min

18amp/415volt

MODEL: XRS

7.5hp 270lt Tank
Disp 1076L/min
FAD 704L/min Belt drive 150nsi



Cast Iron V-Twin Portable

Air Compressor - 2.5hp

• 150psi • Filter/Regulator

50lt tank Fad 225L/min

Use a QR scanner on your smartphone to scan the QR code for your nearest Member's location or visit www.itradesupplies.com.au

Aug-Sep-Oct 2012